

公司简介

Company Profile

公司简介：青岛兰亭机电有限公司是一家综合性的大型塑料制品生产经营企业。公司占地面积750000平方米，目前拥有两个大型塑料托盘生产基地，共有大型注塑机、热熔焊接机、防滑条焊接机100台，主要经营近三百种塑料产品：塑料折叠箱，卡板箱，周转箱、筐，托盘，环卫桶供应与生产为一体的高新科技企业，并在香港和内陆多地设立办事处。目前公司的营销网络覆盖国内外，如：欧美地区、澳大利亚，南美，东南亚和非洲。以卓越高效的服务赢得广大客户的支持与信赖。我们的理念是：以质量求生存，以信誉创品牌。我司产品广泛应用于石化、化工、啤酒、饮料食品、医药、烟草、电线电缆等诸多行业。是可口可乐、中国烟草、青岛啤酒、宝马、三星等中国知名企业的供应商。

企业荣誉：

本公司已通过ISO9001：2008质量管理体系认证、并且首家通过欧洲EN840检测认证、ISO14001：2004环境管理体系认证、GB/T28001-2001职业健康安全管理体系认证、中国环境标志I型认证、是中国塑料协会常务理事单位。公司先后被评为：“中国最具竞争力的塑料工业企业”、“中国塑料工业百强企业”、“中国著名商标”。

About us:

Qingdao Enlightening Electromechanical Co., Ltd is a comprehensive large plastic products production and operation of enterprises. Enlightening covers an area of 750000 square meters and has two large plastic pallet production base, total of large injection molding machine, hot melt welding machine, prevent slippery welding machine 100 units, mainly engaged in nearly three hundred kinds of plastic products: plastic folding box, bins, carte, turnover box, basket, pallet of supply and production as one of the high-tech enterprise, and set up offices in Hong Kong and the inland. At present, the company's marketing network coverage at home and abroad, such as Australia, south America, south east Asia, Africa and Europe and the United States. excellent and efficient service to win the majority of customers support and trust. Our philosophy is: to the quality strives for the survival, reputation and brand. Our products are widely used in petrochemical, chemical, beer, drinks, food, medicine, tobacco, wire and cable, and many other industries. Enlightening is the supplier of many well-known companies such as Coca-Cola, China tobacco, Qingdao beer, BMW and samsung.

Company honor:

The company has passed ISO9001:2008 quality management system certification, and through the first European EN840 inspection certification, ISO14001:2004 environmental management system certification, GB/T28001-2001 occupational health and safety management system certification, attestation of Chinese environment mark type I, is the standing director unit of China association of plastic. The company has been rated as: "China's most competitive plastic industrial enterprises", "enterprise of China plastics industry" China famous brand".




目录

Table of Contents

公司简介	02
1210A折叠卡板箱1210 FOLDABLE LARGE CONTAINER A	03
1210B折叠卡板箱1210 FOLDABLE LARGE CONTAINER B	05
1210C折叠卡板箱1210 FOLDABLE LARGE CONTAINER C	07
1210D折叠卡板箱1210 FOLDABLE LARGE CONTAINER D	09
1198D折叠卡板箱1198 FOLDABLE LARGE CONTAINER D	11
1210封闭卡板箱1210 SOLD CRATE	13
1210网格卡板箱1210 PERFORATED CRATE	15
1162网格卡板箱1162 PERFORATED CRATE	18
斜插式周转箱STACK NEST CONTAINERS	19
公司局部实景COMPANY VIEW	21
产品测试中心和模具 加工中心TEST CENTER & MOULD CENTER	22

1210A折叠卡板箱 1210 FOLDABLE LARGE CONTAINER A



专利号: ZL2004300036251.2

产品特点 Product Description :

- 聚乙烯或共聚聚丙烯材料 Material: HDPE or PP
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 堆叠承载单箱500kg, 静态可5层, 动态可2层 500kg load in stacking, 4 over 1 in static and 1 over 1 in dynamic
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry
- 长宽侧选配小门 Drop door is available on both side

1200*1000*975mm A折叠箱尺寸

外尺寸(mm) External dimension			内尺寸(mm) Internal dimension				折叠后高度 (mm) Folded height
长L	宽W	高H	长L	宽W	高H	有效装载高度(mm) Inner Height	
1200	1000	975	1110	910	790	759	406

1210A折叠卡板箱 1210 FOLDABLE LARGE CONTAINER A

产品特点 Product Description :


- 折叠比达2.4:1, 充分节约了空箱货运费
Foldable ratio : 2.4 :1
- 长宽侧均有标签架
Label holders are assembled on long side
And short side.
- 各零部件均可拆换, 拆卸维修方便
Spare parts are available for replacement.
- 可配防尘盖
Dustcover is available.



装运
QUANTITY IN ISO SEA CONTAINER

20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)
20	56	44	128	44	150

1210B折叠卡板箱1210 FOLDABLE LARGE CONTAINER B



产品特点Product Description :

- 聚乙烯或共聚聚丙烯材料 Material: HDPE or PP
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 堆叠承载单箱500kg, 静态可5层, 动态可2层 500kg load in stacking, 4 over 1 in static and 1 over 1 in dynamic
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry
- 长宽侧选配小门 Drop door is available on both side

1200*1000*975mm B折叠箱尺寸

外尺寸(mm) External dimension			内尺寸(mm) Internal dimension				折叠后高度 (mm) Folded height
长L	宽W	高H	长L	宽W	高H	有效装载高度(mm) Inner Height	
1200	1000	975	1110	910	790	759	406

1210B折叠卡板箱1210 FOLDABLE LARGE CONTAINER B

产品特点Product Description :


- 折叠比达2.4:1, 充分节约了空箱货运费
Foldable ratio : 2.4 :1
- 长宽侧均有标签架
Label holders are assembled on long side and short side.
- 各零部件均可拆换, 拆卸维修方便
Spare parts are available for replacement.
- 可配防尘盖
Dustcover is available.



装运
QUANTITY IN ISO SEA CONTAINER

20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)
20	56	44	128	44	150

1210C折叠卡板箱 1210 FOLDABLE SMALL CONTAINER C



产品特点 Product Description :

- 聚乙烯或共聚聚丙烯材料 Material: HDPE or PP
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 堆叠承载单箱500kg, 静态可5层, 动态可3层 500kg load in stacking, 4 over 1 in static and 2 over 1 in dynamic
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry

1200*1000*590mm C折叠箱尺寸							
外尺寸(mm) External dimension			内尺寸(mm) Internal dimension				折叠后高度 (mm) Folded height
长L	宽W	高H	长L	宽W	高H	有效装载高度(mm) Inner Height	
1200	1000	590	1110	910	405	374	406

1210C折叠卡板箱 1210 FOLDABLE SMALL CONTAINER C


产品特点 Product Description :

- 折叠比达1.4:1, 充分节约了空箱货运费
Foldable ratio : 1.4 :1
- 长宽侧均有标签架
Label holders are assembled on long side and short side.
- 各零部件均可拆换, 拆卸维修方便
Spare parts are available for replacement.
- 可配防尘盖
Dustcover is available.



装运 QUANTITY IN ISO SEA CONTAINER					
20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)
40	56	88	128	88	150

1210D折叠卡板箱 1210 FOLDABLE SMALL CONTAINER D



产品特点 Product Description :

- 聚乙烯或聚丙烯材料 Material: HDPE or PP
- 底座内置热镀锌管结构, 单箱承载可达1000kg Steel tube inside for reinforcement in the base
- 货架载荷可达1000kg Rack load 1000kg
- 堆叠承载单箱600kg, 静态可6层, 动态可2层 600kg load in stacking, 5 over 1 in static and 1 over 1 in dynamic
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry
- 四面可选有无小门 Drop door available on 2 sides

1200*1000*1000mm D折叠箱尺寸

外尺寸(mm) External dimension			内尺寸(mm) Internal dimension				折叠后高度 (mm) Folded height
长L	宽W	高H	长L	宽W	高H	有效装载高度(mm) Inner Height	
1200	1000	1000	1117	918	865	845	360

1210D折叠卡板箱 1210 FOLDABLE SMALL CONTAINER D

产品特点 Product Description :


- 折叠比达2.7:1, 充分节约了空箱货运费
Foldable ratio : 2.7 :1
- 长宽侧均有标签架
Label holders are assembled on long side and short side.
- 各零部件均可拆换, 拆卸维修方便
Spare parts are available for replacement.
- 四侧门板均设有拉手, 使用操作方便
Handles are designed in four side doors, easy to operate.



装运
QUANTITY IN ISO SEA CONTAINER

20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)
20	60	44	132	44	151

1198D折叠卡板箱 1198 FOLDABLE LARGE CONTAINER D



专利号: ZL201420542206.2

产品特点 Product Description :

- 聚乙烯或共聚聚丙烯材料 Material: HDPE or PP
- 底座内置热镀锌管结构, 单箱承载可达1000kg Steel tube inside for reinforcement in the base
- 货架载荷可达1000kg Rack load 1000kg
- 堆叠承载单箱600kg, 静态可6层, 动态可2层 600kg load in stacking, 5 over 1 in static and 1 over 1 in dynamic
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry
- 四面可选有无小门 Drop door available on 2 sides

1140*980*1050mm折叠箱尺寸

外尺寸(mm) External dimension			内尺寸(mm) Internal dimension				折叠后高度 (mm) Folded height
长L	宽W	高H	长L	宽W	高H	有效装载高度(mm) Inner Height	
1140	980	1050	1063	903	915	894	326

1198D折叠卡板箱 1198 FOLDABLE LARGE CONTAINER D

产品特点 Product Description :


- 折叠比达3.2:1, 充分节约了空箱货运费
Foldable ratio : 3.2:1
- 长宽侧均有标签架
Label holders are assembled on long side and short side.
- 各零部件均可拆换, 拆卸维修方便
Spare parts are available for replacement.
- 四侧门板均设有拉手, 使用操作方便
Handles are designed in four side doors, easy to operate.



装运
QUANTITY IN ISO SEA CONTAINER

20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)	储物状态 (OPEN)	折叠状态 (FOLDED)
24	84	48	168	48	192

1210封闭卡板箱1210 SOLID CRATE



产品特点Product Description :

- 聚乙烯材料 Material: HDPE
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry

1200*1000*760mm封闭卡板箱尺寸

外尺寸(mm) External dimension			内尺寸(mm) Internal dimension			
长L	宽W	高H	长L	宽W	高H	有效装载高度(mm) Inner Height
1200	1000	760	1110	910	600	563

1210封闭卡板箱1210 SOLID CRATE

产品特点Product Description :


- 内表面平面设计, 光滑易清洁
Closed design, easy to wash
- 可配盖子、水咀和脚轮
Lid/water outlet/wheel is available.



装运
QUANTITY IN ISO SEA CONTAINER

20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	空箱状态 (Empty)	储物状态 (OPEN)	空箱状态 (Empty)	储物状态 (OPEN)	空箱状态 (Empty)
42	40	66	88	66	99

1210网格卡板箱1210 PERFORATED CRATE



专利号: ZL01358776.5

产品特点Product Description :

- 聚乙烯材料 Material: HDPE
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry

1200*1000*760mm网格卡板箱尺寸

外尺寸(mm) External dimension			内尺寸(mm) Internal dimension			有效装载高度(mm) Inner Height
长L	宽W	高H	长L	宽W	高H	
1200	1000	760	1110	910	600	563

1210网格卡板箱1210 PERFORATED CRATE

产品特点Product Description :


- 自然通风设计
Design of natural ventilation
- 可配盖子和脚轮
Lid/wheel is available.



装运
QUANTITY IN ISO SEA CONTAINER

20英尺标箱20GP		40英尺标箱40GP		40英尺高箱40HC	
储物状态 (OPEN)	空箱状态 (Empty)	储物状态 (OPEN)	空箱状态 (Empty)	储物状态 (OPEN)	空箱状态 (Empty)
30	40	66	88	66	88

1210折叠网格卡板箱 1210 FOLDABLE PERFORATED CRATE



产品特点 Product Description :

- 聚乙烯材料 Material: HDPE
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry

1200x1000x810mm折叠网格卡板箱尺寸

外尺寸(mm) External dimension			装箱量 (PC) Load quantity			
长L	宽W	高H	20GP	40GP	40HQ	有效装载高度(mm) Inner Height
1200	1000	810	75	150	210	630

1162网格卡板箱 1162 PERFORATED CRATE



产品特点 Product Description :

- 聚乙烯材料 Material: HDPE
- 单箱动载1000kg, 静载4000kg Dynamic load 1000kg, static load 4000kg in single use
- 四面进叉, 适用于机械叉车和手动液压车 Four ways entry

1162x1162x790mm网格卡板箱尺寸

外尺寸(mm) External dimension			装箱量 (PC) Load quantity			
长L	宽W	高H	20GP	40GP	40HQ	有效装载高度(mm) Inner Height
1162	1162	790	80	160	180	630

斜插式周转箱 Stack Nest Containers

Item No.规格:ENL-N6040/260



Ext. Dim外尺寸:600*400*260mm
Int. Dim底部内尺寸:505*315*225mm
Nested Height:套叠高度:85mm
Weight自重:2.8kg
Volume容积:46L
Single/Stacking Loading 单箱/堆码承重:30/150kg

Item No.规格:ENL-N6040/315



Ext. Dim外尺寸:600*400*315mm
Int. Dim底部内尺寸:510*330*285mm
Nested Height:套叠高度:85mm
Weight自重:3.1kg
Volume容积:50L
Single/Stacking Loading 单箱/堆码承重:30/150kg

Item No.规格:ENL-N6040/260



Ext. Dim外尺寸:600*400*260mm
Int. Dim底部内尺寸:527*344*239mm
Nested Height:套叠高度:120mm
Weight自重:2.9kg
Volume容积:43.5L
Single/Stacking Loading 单箱/堆码承重:35/175kg

Item No.规格:ENL-N6040/315A



Ext. Dim外尺寸:600*400*315mm
Int. Dim底部内尺寸:524*341*294mm
Nested Height:套叠高度:120mm
Weight自重:3.1kg
Volume容积:56L
Single/Stacking Loading 单箱/堆码承重:35/170kg

斜插式周转箱 Stack Nest Containers

Item No.规格:ENL-N6040/355



Ext. Dim外尺寸:600*400*355mm
Int. Dim底部内尺寸:505*325*330mm
Nested Height:套叠高度:85mm
Weight自重:3.3kg
Volume容积:62L
Single/Stacking Loading 单箱/堆码承重:35/175kg

Item No.规格:ENL-N5537/325



Ext. Dim外尺寸:550*375*325mm
Int. Dim底部内尺寸:460*300*295mm
Nested Height:套叠高度:85mm
Weight自重:2.9kg
Volume容积:47L
Single/Stacking Loading 单箱/堆码承重:25/120kg

Item No.规格:ENL-N6040/365



Ext. Dim外尺寸:600*400*365mm
Int. Dim底部内尺寸:523*340*344mm
Nested Height:套叠高度:120mm
Weight自重:3.3kg
Volume容积:61.5L
Single/Stacking Loading 单箱/堆码承重:35/175kg

Item No.规格:ENL-N7557/625



Ext. Dim外尺寸:750*570*625mm
Int. Dim底部内尺寸:550*460*575mm
Nested Height:套叠高度:93mm
Weight自重:8.1kg
Volume容积:93L
Single/Stacking Loading 单箱/堆码承重:42/225kg

斜插式周转箱 Stack Nest Containers

Item No.规格:ENL-N6040/260



Ext. Dim外尺寸:600*400*260mm
Int. Dim底部内尺寸:505*315*225mm
Nested Height:套叠高度:85mm
Weight自重:2.8kg
Volume容积:46L
Single/Stacking Loading 单箱/堆码承重:30/150kg

Item No.规格:ENL-N6040/315



Ext. Dim外尺寸:600*400*315mm
Int. Dim底部内尺寸:510*330*285mm
Nested Height:套叠高度:85mm
Weight自重:3.1kg
Volume容积:50L
Single/Stacking Loading 单箱/堆码承重:30/150kg

Item No.规格:ENL-N6040/260



Ext. Dim外尺寸:600*400*260mm
Int. Dim底部内尺寸:527*344*239mm
Nested Height:套叠高度:120mm
Weight自重:2.9kg
Volume容积:43.5L
Single/Stacking Loading 单箱/堆码承重:35/175kg

Item No.规格:ENL-N6040/315A



Ext. Dim外尺寸:600*400*315mm
Int. Dim底部内尺寸:524*341*294mm
Nested Height:套叠高度:120mm
Weight自重:3.1kg
Volume容积:56L
Single/Stacking Loading 单箱/堆码承重:35/170kg

斜插式周转箱 Stack Nest Containers

Item No.规格:ENL-N6040/355



Ext. Dim外尺寸:600*400*355mm
Int. Dim底部内尺寸:505*325*330mm
Nested Height:套叠高度:85mm
Weight自重:3.3kg
Volume容积:62L
Single/Stacking Loading 单箱/堆码承重:35/175kg

Item No.规格:ENL-N5537/325



Ext. Dim外尺寸:550*375*325mm
Int. Dim底部内尺寸:460*300*295mm
Nested Height:套叠高度:85mm
Weight自重:2.9kg
Volume容积:47L
Single/Stacking Loading 单箱/堆码承重:25/120kg

Item No.规格:ENL-N6040/365



Ext. Dim外尺寸:600*400*365mm
Int. Dim底部内尺寸:523*340*344mm
Nested Height:套叠高度:120mm
Weight自重:3.3kg
Volume容积:61.5L
Single/Stacking Loading 单箱/堆码承重:35/175kg

Item No.规格:ENL-N7557/625



Ext. Dim外尺寸:750*570*625mm
Int. Dim底部内尺寸:550*460*575mm
Nested Height:套叠高度:93mm
Weight自重:8.1kg
Volume容积:93L
Single/Stacking Loading 单箱/堆码承重:42/225kg

公司局部实景COMPANY VIEW



产品测试中心和模具加工中心TEST CENTER & MOULD CENTER

